



Associated Laboratories

806 N. Batavia - Orange, CA 92868
Tel (714)771-6900 Fax (714)538-1209
www.associatedlabs.com
Info@associatedlabs.com



Client: New Origins Accessories
Address: 324 S. Diamond Bar Blvd.
Diamond Bar, CA 91765

Lab Request: 339727
Report Date: 04/28/2014
Date Received: 04/23/2014
Client ID: 14448

Attn: Vinnie

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods. Methods accredited by NELAC are indicated on the report. This cover letter is an integral part of the final report.

<u>Sample #</u>	<u>Client Sample ID</u>
339727-001	#1

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Nina Prasad
President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 45 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Matrix: Solid	Client: New Origins Accessories	Collector: Client
Sampled: 04/23/2014	Site:	
Sample #: 339727-001	Client Sample #: #1	Sample Type:

Analyte	Result	DF	RDL	Units	Analyzed	By	Notes
Method: EPA 8260 <i>NELAC</i>	Prep Method: EPA 5035						QCBatchID: QC1145871
1,1,1,2-Tetrachloroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,1,1-Trichloroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,1,2,2-Tetrachloroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,1,2-Trichloroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,1,2-Trichlorotrifluoroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,1-Dichloroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,1-Dichloroethene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,1-Dichloropropene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2,3-Trichlorobenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2,3-Trichloropropane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2,4-Trichlorobenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2,4-Trimethylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2-Dibromo-3-chloropropane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2-Dibromoethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2-Dichlorobenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2-Dichloroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,2-Dichloropropane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,3,5-Trimethylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,3-Dichlorobenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,3-Dichloropropane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
1,4-Dichlorobenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
2,2-Dichloropropane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
2-Butanone (MEK)	ND	83.3	8330	ug/Kg	04/24/14	nicollez	
2-Chloroethyl Vinyl Ether	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
2-Chlorotoluene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
4-Chlorotoluene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
4-Isopropyltoluene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
4-Methyl-2-pentanone (MIBK)	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Acetone	ND	83.3	8330	ug/Kg	04/24/14	nicollez	
Allyl Chloride	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Benzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Bromobenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Bromochloromethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Bromodichloromethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Bromoform	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Bromomethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Carbon Tetrachloride	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Chlorobenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Chlorodibromomethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Chloroethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Chloroform	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Chloromethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
cis-1,2-Dichloroethene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
cis-1,3-dichloropropene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
cis-1,4-dichloro-2-butene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Dibromomethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Dichlorodifluoromethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Ethylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Hexachlorobutadiene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Isopropylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
m and p-Xylene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Methylene chloride	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	



Matrix: Solid	Client: New Origins Accessories	Collector: Client
Sampled: 04/23/2014	Site:	
Sample #: 339727-001	Client Sample #: #1	Sample Type:

Analyte	Result	DF	RDL	Units	Analyzed	By	Notes
Methyl-t-butyl Ether (MTBE)	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Naphthalene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
N-butylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
N-propylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
o-Xylene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Sec-butylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Styrene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Tert-butylbenzene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Tetrachloroethene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Toluene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
trans-1,2-dichloroethene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
trans-1,3-dichloropropene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
trans-1,4-dichloro-2-butene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Trichloroethene	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Trichlorofluoromethane	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Vinyl Chloride	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	
Xylenes (Total)	ND	83.3	416.5	ug/Kg	04/24/14	nicollez	

Analyte	% Recovery	Limits	Notes
1,2-Dichloroethane-d4 (SUR)	114	70-145	
4-Bromofluorobenzene (SUR)	105	70-145	
Dibromodifluoromethane (SUR)	91	70-145	
Toluene-d8 (SUR)	104	70-145	



QCBatchID: QC1145871

Analyst: nicollez

Method: EPA 8260B

Matrix: Solid

Analyzed: 04/23/2014

Instrument: VOA-MS (group)

Blank Summary

Analyte	Blank Result	Units	RDL	Notes
QC1145871MB1				
1,1,1,2-Tetrachloroethane	ND	ug/Kg	5	
1,1,1-Trichloroethane	ND	ug/Kg	5	
1,1,2,2-Tetrachloroethane	ND	ug/Kg	5	
1,1,2-Trichloroethane	ND	ug/Kg	5	
1,1,2-Trichlorotrifluoroethane	ND	ug/Kg	5	
1,1-Dichloroethane	ND	ug/Kg	5	
1,1-Dichloroethene	ND	ug/Kg	5	
1,1-Dichloropropene	ND	ug/Kg	5	
1,2,3-Trichlorobenzene	ND	ug/Kg	5	
1,2,3-Trichloropropane	ND	ug/Kg	5	
1,2,4-Trichlorobenzene	ND	ug/Kg	5	
1,2,4-Trimethylbenzene	ND	ug/Kg	5	
1,2-Dibromo-3-chloropropane	ND	ug/Kg	5	
1,2-Dibromoethane	ND	ug/Kg	5	
1,2-Dichlorobenzene	ND	ug/Kg	5	
1,2-Dichloroethane	ND	ug/Kg	5	
1,2-Dichloropropane	ND	ug/Kg	5	
1,3,5-Trimethylbenzene	ND	ug/Kg	5	
1,3-Dichlorobenzene	ND	ug/Kg	5	
1,3-Dichloropropane	ND	ug/Kg	5	
1,4-Dichlorobenzene	ND	ug/Kg	5	
2,2-Dichloropropane	ND	ug/Kg	5	
2-Butanone (MEK)	ND	ug/Kg	100	
2-Chloroethyl Vinyl Ether	ND	ug/Kg	5	
2-Chlorotoluene	ND	ug/Kg	5	
4-Chlorotoluene	ND	ug/Kg	5	
4-Isopropyltoluene	ND	ug/Kg	5	
4-Methyl-2-pentanone (MIBK)	ND	ug/Kg	5	
Acetone	ND	ug/Kg	100	
Allyl Chloride	ND	ug/Kg	5	
Benzene	ND	ug/Kg	5	
Bromobenzene	ND	ug/Kg	5	
Bromochloromethane	ND	ug/Kg	5	
Bromodichloromethane	ND	ug/Kg	5	
Bromoform	ND	ug/Kg	5	
Bromomethane	ND	ug/Kg	5	
Carbon Tetrachloride	ND	ug/Kg	5	
Chlorobenzene	ND	ug/Kg	5	
Chlorodibromomethane	ND	ug/Kg	5	
Chloroethane	ND	ug/Kg	5	
Chloroform	ND	ug/Kg	5	
Chloromethane	ND	ug/Kg	5	
cis-1,2-Dichloroethene	ND	ug/Kg	5	
cis-1,3-dichloropropene	ND	ug/Kg	5	
cis-1,4-dichloro-2-butene	ND	ug/Kg	5	
Dibromomethane	ND	ug/Kg	5	
Dichlorodifluoromethane	ND	ug/Kg	5	
Di-isopropyl ether (DIPE)	ND	ug/Kg	5	
Ethylbenzene	ND	ug/Kg	5	
Ethyl-tertbutylether (ETBE)	ND	ug/Kg	5	



QCBatchID: QC1145871 **Analyst:** nicollez **Method:** EPA 8260B
Matrix: Solid **Analyzed:** 04/23/2014 **Instrument:** VOA-MS (group)

Analyte	Blank Result	Units	RDL	Notes
QC1145871MB1				
Hexachlorobutadiene	ND	ug/Kg	5	
Isopropylbenzene	ND	ug/Kg	5	
m and p-Xylene	ND	ug/Kg	5	
Methylene chloride	ND	ug/Kg	5	
Methyl-t-butyl Ether (MTBE)	ND	ug/Kg	5	
Naphthalene	ND	ug/Kg	5	
N-butylbenzene	ND	ug/Kg	5	
N-propylbenzene	ND	ug/Kg	5	
o-Xylene	ND	ug/Kg	5	
Sec-butylbenzene	ND	ug/Kg	5	
Styrene	ND	ug/Kg	5	
t-Butyl alcohol (TBA)	ND	ug/Kg	10	
Tert-amylmethylether (TAME)	ND	ug/Kg	5	
Tert-butylbenzene	ND	ug/Kg	5	
Tetrachloroethene	ND	ug/Kg	5	
Toluene	ND	ug/Kg	5	
TPH Gasoline	ND	ug/Kg	100	
trans-1,2-dichloroethene	ND	ug/Kg	5	
trans-1,3-dichloropropene	ND	ug/Kg	5	
trans-1,4-dichloro-2-butene	ND	ug/Kg	5	
Trichloroethene	ND	ug/Kg	5	
Trichlorofluoromethane	ND	ug/Kg	5	
Vinyl Chloride	ND	ug/Kg	5	
Xylenes (Total)	ND	ug/Kg	5	

Lab Control Spike/ Lab Control Spike Duplicate Summary

Analyte	Spike Amount		Spike Result		Units	Recoveries			Limits		Notes
	LCS	LCSD	LCS	LCSD		LCS	LCSD	RPD	%Rec	RPD	
QC1145871LCS1											
1,1-Dichloroethene	50		50		ug/Kg	100				59-172	
Benzene	50		52		ug/Kg	104				62-137	
Chlorobenzene	50		56		ug/Kg	112				60-133	
Methyl-t-butyl Ether (MTBE)	50		52		ug/Kg	104				62-137	
Toluene	50		57		ug/Kg	114				59-139	
Trichloroethene	50		54		ug/Kg	108				66-142	

Matrix Spike/Matrix Spike Duplicate Summary


Analyte	Sample Amount	Spike Amount		Spike Result		Units	Recoveries			Limits		Notes
		MS	MSD	MS	MSD		MS	MSD	RPD	%Rec	RPD	
QC1145871MS1, QC1145871MSD1												
Source: 339562-001												
1,1-Dichloroethene	ND	50	50	52	50	ug/Kg	104	100	3.9	59-172	22	
Benzene	ND	50	50	53	52	ug/Kg	106	104	1.9	62-137	24	
Chlorobenzene	ND	50	50	55	50	ug/Kg	110	100	9.5	60-133	24	
Methyl-t-butyl Ether (MTBE)	ND	50	50	56	52	ug/Kg	112	104	7.4	62-137	21	
Toluene	ND	50	50	59	53	ug/Kg	118	106	10.7	59-139	21	
Trichloroethene	ND	50	50	53	49	ug/Kg	106	98	7.8	66-142	21	



Notes and Definitions

B	Analyte was present in an associated method blank. Associated sample data was reported with qualifier.
BQ1	No valid test replicates. Result may be greater. Best result was reported with qualifier. Sample toxicity possible.
BQ2	No valid test replicates.
BQ3	Minimum DO is less than 1.0 mg/L. Result may be greater and reported with qualifier.
C	Laboratory Contamination.
D	The sample duplicate RPD was not within control limits, the sample data was reported without further clarification.
DF	Dilution Factor
DW	Sample result is calculated on a dry weigh basis
J	Reported value is estimated
L	The laboratory control sample (LCS) or laboratory control sample duplicate (LCSD) was out of control limits. Associated sample data was reported with qualifier.
M	The matrix spike (MS) or matrix spike duplicate (MSD) was not within control limits due to matrix interference. The associated LCS and/or LCSD was within control limits and the sample data was reported without further clarification.
MDL	Method Detection Limit
NC	The analyte concentration in the sample exceeded the spike level by a factor of four or greater, spike recovery and limits do not apply.
ND	Analyte was not detected or was less than the detection limit.
P	Sample was received without proper preservation according to EPA guidelines.
Q1	Analyte Calibration Verification exceeds criteria and the result was reported with qualifier.
Q2	Analyte calibration was not verified and the result was estimated and reported with qualifier.
Q3	Analyte initial calibration was not available or exceeds criteria. The result was estimated and reported with qualifier.
Q4	Analyte result out of calibration range and was reported with qualifier
RDL	Reporting Detection Limit
S	The surrogate recovery was out of control limits due to matrix interference. The associated method blank surrogate recovery was within control limits and the sample data was reported without further clarification.
T	Sample was extracted/analyzed past the holding time.
T2	Sample was analyzed ASAP but received and analyzed past the 15 minute holding time.
TIC	Tentatively Identified Compounds





ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: NEW ORIGINS ACCES. Project: _____
 Date Received: 9/23/14 Sampler's Name: Yes No
 Sample temperature: _____
 Sample(s) received in cooler: Yes No (Skip Section 2)
 Shipping Information: _____

Section 2
 Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____
 Cooler Temperature: _____

(Acceptance range is 0 to 6 Deg. C. or arrival on ice; For Microbiology sample <= 10 Deg. C or arrival on ice)


Section 3	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Is it properly completed? (IDs, sampling date and time, signature, test)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were custody seals present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (AF)
If Yes - were they intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Were all samples sealed in plastic bags?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did all samples arrive intact? If no, indicate below.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were correct containers used for the tests required?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Was a sufficient amount of sample sent for tests indicated?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Was there headspace in VOA vials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Were the containers labeled with correct preservatives?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Was total residual chlorine measured (Fish Bioassay samples only)? *	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4
 Explanations/Comments REV SEVERAL BAMBOO STICKS!
COC IN HOUSE.

Section 5
 Was Project Manager notified of discrepancies: Y N N/A
 Project Manager's response: OK

Completed By: _____ Date: _____



Chain of Custody Record

CUSTOMER INFORMATION

COMPANY: NEW ORIGINS ACCESSORIES

SEND REPORT TO: VIAHIE

EMAIL: _____

ADDRESS: _____

PHONE: _____

FAX: _____

PROJECT INFORMATION

NUMBER: _____

ADDRESS: _____

P.O. #: _____

SAMPLED BY: _____

REQUIRED TURN AROUND TIME:
 72 Hours: _____ 48 Hours: _____ 24 Hours: _____

Standard: _____

Sample ID	Date	Time	Matrix	Container Number/Size	Pres.
1	#1	4/23/14	5		X
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					

ANALYSIS REQUEST
8260 HgD.

Test Instructions & Comments
CDC 14 HOUSE

Total No. of Samples: _____

Method of Shipment: _____

Preservative: 1 = Ice 2 = HCl 3 = HNO₃ 4 = H₂SO₄ 5 = NaOH 6 = Other

Relinquished by	1.	Received By:	1.	Relinquished by	2.	Received By:	2.	Relinquished by	3.	Received By:	3.
Signature:		Signature:		Signature:		Signature:		Signature:		Signature:	
Printed Name:	<u>Michelle Roberts</u>	Printed Name:	<u>HTCCE</u>	Printed Name:		Printed Name:		Printed Name:		Printed Name:	
Date:	<u>4.23.14</u>	Date:	<u>4/23/14</u>	Date:		Date:		Date:		Date:	
Time:		Time:	<u>13:30</u>	Time:		Time:		Time:		Time:	